

From: [Jennifer Gaines](#)
To: Gaines.jennifer@epa.gov
Subject: Fw: Final risk mitigation decision for 10 rodenticides query
Date: 05/31/2012 10:31 AM

Jennifer Gaines
Wildlife Biologist
U.S. Environmental Protection Agency
Insecticide-Rodenticide Branch
Registration Division (7505P)

Tel: 703 305-5967
Fax: 703 305-6309

----- Forwarded by Jennifer Gaines/DC/USEPA/US on 05/31/2012 10:27 AM -----

From: Russell Wasem/DC/USEPA/US
To: "Wallace Wentink" <WWentink@centralparknyc.org>
Cc: Kathryn Jakob/DC/USEPA/US@EPA, Jennifer Gaines/DC/USEPA/US@EPA, Bill Jacobs/DC/USEPA/US@EPA, Dan Peacock/DC/USEPA/US@EPA
Date: 04/06/2011 05:02 PM
Subject: Re: Final risk mitigation decision for 10 rodenticides query

Your welcome Wallace,

If you believe the structures you describe possess walls and a roof then within 50 feet of these structures are likely suitable application sites.

Best,
Rusty_____

Rusty Wasem / Chemical Review Manager
Risk Management & Implementation Branch 1*
Pesticide Re-evaluation Division* / Office of Pesticide Programs
703 / 305 6979

▼ "Wallace Wentink" ---04/06/2011 01:26:08 PM---Rusty, Thanks for your help. I'll try to look to our city agencies for further clarification unless

From: "Wallace Wentink" <WWentink@centralparknyc.org>
To: Russell Wasem/DC/USEPA/US@EPA
Date: 04/06/2011 01:26 PM
Subject: Re: Final risk mitigation decision for 10 rodenticides query

Rusty, Thanks for your help. I'll try to look to our city agencies for further clarification unless you could help, ie. adjacent to/within 50 ft of a subway line tunnel or station, are they to be considered excluded as buildings

although they possess both walls & roofs as a structure?
Regards,
wallace

wallace wentink
IPM coordinator
central park conservancy
212. 628-1036 x15
>>> <Wasem.Russell@epamail.epa.gov> 4/6/2011 11:35 AM >>>
Hello Wallace,

Thank you for contacting us for this clarification.

Burrow baiting will be limited to within 50 feet of a building. We have defined buildings as structures that possess walls and a roof.

Please let me know if you have any further questions.

Regards,

Rusty_____

Rusty Wasem / Chemical Review Manager
Risk Management & Implementation Branch 1*
Pesticide Re-evaluation Division* / Office of Pesticide Programs
703 / 305 6979

From:"Wallace Wentink" <WWentink@centralparknyc.org>
To:Russell Wasem/DC/USEPA/US@EPA
Date:04/05/2011 01:11 PM
Subject:Final risk mitigation decision for 10 rodenticides query

Dear Mr. Wassem;
Could you clarify for me 2 aspects of the new regulations described for placement of baits outdoors published in the E.P.A's website at:
http://www.epa.gov/oppsrrd1/reregistration/rodenticides/final_risk_decision.htm. ?

for professional applicators in a landscape within 50' of a structure, is placement of any place packs within a burrow inside of the 50' perimeter?

Does the new regulation mean that baiting of burrows with a meal or pellet based place pack outside of the 50' perimeter is completely prohibited?